



LOWTHER PAVILION

Technical Specifications

Sound

FOH Sound Positions

- At the back of the theatre (High Level)
- Stalls off centre left (Please enquire as 4 seats need to be removed for this)

FOH Sound Equipment

- Yamaha M7CL 48 Channel digital mixing console (With 48 way Vandamme multi-core)
- Ashly House graphic equalizer
- AVX PDA1000 Induction loop driver
- 4 Sennheiser wireless radio microphones
- Work "Multiplayer 2" CD/USB playback
- Tascam "MD-02" minidisk player
- Aadastra AM/FM radio tuner

FOH P/A System

- EV SPX300 Top Cabs + Delays
- 2 Brooke dual 18" Subs
- **On-Stage monitoring system available on request**

Other Equipment Available on Request

- 4 D.I Boxes
- 1 Shure SM58
- 2 Sennheiser E845
- 6 AKG 190E
- 5 Sennheiser Rifles
- 4 Gooseneck Desk Condenser Mics

Radio Microphones Available

- 3 Sennheiser Handheld
- 1 Sennheiser Tie Clip

Variety of cabling available to suit

Rack bag with CD player and Minidisk player also available for stalls mix position



LOWTHER PAVILION

Technical Specifications

Lighting

FOH Lighting Operation

(Lighting operated in Control Room)

- Zero 88 Bull Frog 96 channel
- DMX houselight control or Standalone if preferred
- 1 DMX universe to stage

Standard Lighting Rig

Zero 88 Chilli Pro 96 Channel Dimming

- 5 Colour wash FOH

Red (LEE 106), Blue (LEE 132), Amber (LEE 158), CT (LEE 201) and Mauve (LEE 126)

- 5 Colour wash on-stage

Red (LEE 106), Blue (LEE 132), Amber (LEE 158), CT (LEE 201) and Mauve (LEE 126)

- OW Face light (4 Source 4's on Advance LX Bar)

- 2 Colour Cyclorama Wash

Red (LEE 106)/Blue (LEE 132)

- FOH 4 Colour Crosswash

Mauve (LEE 126), Amber (LEE 158), Peacock Blue (LEE 115), CT (LEE 201)

- 4 Martin Mac 300's (permanent FOH Truss Position)
- Starcloth US
- 16amp CEEform and DMX (5pin) at the end of every LX bar

Other Lighting Equipment Available

- 6 Pulse RGB LED Par 56 can
- 6 Black Par 64 cans
- 6 Chrome Par 64 cans
- 8 ETC Source 4's (36/50 & 25-50 degree)
- A limited range of coloured gels (LEE Filters)
- A range of 15Amp TRS
- A range of 16Amp TRS
- A range of DMX (5 Pin)



LOWTHER PAVILION

Stage Equipment

Flying System

- 12 Manual winch bars (130kg Safe Working Load including weight of bar)
- 6 Hemp rope bars (100kg Safe Working Load including weight of bar)
- Motorised single speed FOH House Curtains

Black box set

- 1 Set of hard Black flats
- 2 Sets of Black Legs
- 2 Black Borders
- 1 Set Mid-stage Blue curtains
- 1 Set Up-stage Black curtains
- Various Stage Weights
- Various Stage Set Braces

Stage Power

- 1 13A Double socket USR
- 1 13A Double socket USL
- 1 32A 3PH CEEform DSL (Under prompt corner desk)
- 3 16A 1PH CEEform USL
- 1 32A 1PH CEEform USL

Other Stage Specifications

- 2 Part Safety Curtain (in front of House curtains)
- Bar Bell System
- Pager microphone to talk to dressing rooms
- Access to both sides of stage through dressing room corridor
- 6 Dressing rooms of varying sizes
- ASL/Canford Audio Communication headsets available at the following positions
Lighting, Sound, Followspots, Prompt Corner, Pit and Fly Floor
- Rostra/Treads Available on request

Please email technical@lowtherpavilion.co.uk with any queries/questions